



**United States
Department of
Agriculture**

**Agricultural
Marketing
Service**

**Fruit and
Vegetable
Division**

**Fresh
Products
Branch**

United States Standards for Grades of Summer Squash

Effective January 6, 1984
(Reprinted - January 1997)

United States Standards for Grades of Summer Squash ¹

General

51.4050 General.

Grades

51.4051 U.S. No. 1.

51.4052 U.S. No. 2.

Unclassified

51.4053 Unclassified.

Application of Tolerances

51.4054 Application of tolerances.

Definitions

51.4055 Fairly young and fairly tender.

51.4056 Fairly well formed.

51.4057 Firm.

51.4058 Damage.

51.4059 Old and tough.

51.4060 Serious damage.

51.4061 Diameter.

51.4062 Length.

General

§51.4050 General.

(a) These standards apply only to squash which are picked in the immature stages of development and eaten without the removal of seeds and seed cavity tissue. Squash commonly used in this manner are yellow crookneck, yellow straightneck, white scallop (patty pan, cymling), zucchini, cocozelle, etc., each including one or more varieties.

(b) Because of the size differences between varieties and the difference in size preference in various markets, there are no size requirements in the grades. However, if so desired, size may be specified in connection with the grade, in terms of minimum or maximum diameter or both, or minimum or maximum length or both. When size is specified it shall be stated in terms of inches and quarter inches.

Grades

§51.4051 U.S. No. 1.

"U.S. No. 1" consists of squash of one variety or similar varietal characteristics, with stems or portions of stems attached, which are fairly young and fairly tender, fairly well formed, firm, free from decay and breakdown, and from damage caused by discoloration, cuts, bruises and scars, freezing, dirt or other foreign material, disease, insects, mechanical or other means.

¹Compliance with the provisions of these standards shall not excuse failure to comply with the provisions of the Federal Food, Drug and Cosmetic Act, or with applicable State laws and regulations.

(a) **Tolerances.** In order to allow for variations incident to proper grading and handling, the following tolerances, by count, are provided as specified:

(1) **For defects.** Ten percent for squash in any lot which fails to meet the requirements of this grade, including therein not more than 5 percent for defects causing serious damage, and including in this latter amount not more than 1 percent for squash which is affected by decay or breakdown.

(2) **For size.** Five percent for squash in any lot which is smaller than any specified minimum size and 10 percent for squash which is larger than any specified maximum size.

§51.4052 U.S. No. 2.

"U.S. No. 2" consists of squash of one variety or similar varietal characteristics which are not old and tough, but are firm, free from decay and breakdown, and free from damage caused by freezing, and from serious damage caused by discoloration, cuts, bruises, scars, dirt or other foreign material, disease, insects, mechanical or other means.

(a) **Tolerances.** In order to allow for variations incident to proper grading and handling, the following tolerances, by count, are provided as specified:

(1) **For defects.** Ten percent for squash in any lot which fails to meet the requirements of this grade, including therein not more than 1 percent for squash which is affected by decay or breakdown.

(2) **For size.** Five percent for squash in any lot which is smaller than any specified minimum size and 10 percent for squash which is larger than any specified maximum size.

Unclassified

§51.4053 Unclassified.

"Unclassified" consists of squash which has not been classified in accordance with any of the foregoing grades. The term "unclassified" is not a grade within the meaning of these standards but is provided as a designation to show that no grade has been applied to the lot.

Application of Tolerances

§51.4054 Application of tolerances.

The contents of individual packages in the lot, based on sample inspection, are subject to the following limitations:

(a) For a tolerance of 10 percent or more, individual packages in any lot may contain not more than one and one-half times the tolerances specified, except that at least one defective and one off-size specimen may be permitted in any package: **Provided**, That the average for the entire lot is within the tolerance specified for the grade.

(b) For a tolerance of less than 10 percent, individual packages in any lot may contain not more than double the tolerance specified, except that at least one defective and one off-size specimen may be permitted in any package: **Provided**, That the average for the entire lot is within the tolerance specified for the grade.

Definitions

§51.4055 Fairly young and fairly tender.

"Fairly young and fairly tender" means a desirable stage of maturity for summer squash. This is indicated by fairly tender skin for the variety, fairly tender undeveloped seeds, and firm, moist seed cavity tissue.

§51.4056 Fairly well formed.

"Fairly well formed" means that the shape of the squash is characteristic of the variety or type, and that it is not so badly twisted, grooved or otherwise misshapen by any cause as to damage the appearance of the squash.

§51.4057 Firm.

"Firm" means that the squash does not yield appreciably to slight pressure, and is not noticeably wilted.

§51.4058 Damage.

"Damage" means any specific defect described in this section; or an equally objectionable variation of any one of these defects, any other defect, or any combination of defects, which materially detracts from the appearance, or the edible or marketing quality of the squash. The following specific defects shall be considered as damage:

- (a) Discoloration caused by scars, bruises or other means which materially damages the appearance of the squash.
- (b) Cuts, bruises, or scars which penetrate materially into the squash.
- (c) Insects. Worms or other insects present inside the squash. Worm holes which are unhealed, or more than three-eighths of an inch in depth, or more than one in a squash. Superficial insect injury which materially detracts from the appearance of the squash.

§51.4059 Old and tough.

"Old and tough" means too far advanced in maturity to be suitable for use as summer squash. The skin is tough for the variety and the seeds are tough.

§51.4060 Serious damage.

"Serious damage" means any defect, or any combination of defects, which seriously detracts from the appearance, or the edible or marketing quality of the squash. The following specific defect shall be considered as serious damage:

- (a) Insects, when worms or other insects are present in the squash, or when worm holes are more than three-eighths of an inch in depth, or when there are more than three worm holes in a squash.

§51.4061 Diameter.

"Diameter" means the greatest dimension of the squash measured at right angles to a line running from the stem to the blossom end.

§51.4062 Length.

"Length" means the greatest dimension of the squash measured from the blossom end to the stem end, or in the case of crooknecks, to the curved surface farthest from the blossom end.